



**VCAM-1 Fragment**

**Human, Recombinant, *E. coli***

<b>Cat. No.:</b>	<b>RCP9076</b>	<b>Size:</b>	10µg
	<b>RCP9077</b>		100µg
	<b>RCP9158</b>		1000µg


**Synonym:** Vascular cell adhesion molecule 1, INCAM-100, Vascular cell adhesion protein 1 precursor, CD-106 antigen.

**Description:** VCAM-1 is a cell surface sialoglycoprotein expressed by cytokine activated endothelium. The protein has a number of functions including the regulation of leukocyte migration, leukocyte-endothelial cell adhesion and signal transduction. VCAM-1 may also play a role in a number of inflammatory diseases.

**RANDOX** recombinant VCAM fragment comprises a 203 amino acid fragment (109-331) corresponding to the Ig-like C2 type domains 2 and 3 and is expressed in *E. coli* with an amino-terminal hexahistidine tag. This product is for research use only and is not intended for diagnostic or therapeutic use.

**Form:** Liquid

**Purity:** >95% by SDS-PAGE



**References:** Steeber, D. A & Tedder, T.F. (2000) *Immuno. Res.* **22(2-3)** : 299-317.

Albelda, S.M *et al.* (1994) *FASEB J.* **8(8)**: 504-512.