

**POLYCLONAL ANTIBODY**

*For research use only, Not for diagnostic use*

**Catalog No. TIP-SN-P06**

## Anti $\alpha$ -Synuclein (51-60)

### BACKGROUND

Alpha-Synuclein, a 140-amino acid protein abundantly expressed in presynaptic terminals, is known as a component of intraneuronal or glial inclusions observed in cases of Parkinson's disease (PD), Dementia with Lewy bodies (DLB) and Multiple system atrophy (MSA). Alpha-Synuclein is a natively unfolded protein, however, fibrillization or conformational change of Alpha-synuclein is central in the pathogenesis of Alpha-synucleinopathies. The amino-terminal region of Alpha-synuclein consists of seven imperfect repeats, each 11 amino acids in length, with the consensus sequence KTKEGV. The repeats partially overlap with a hydrophobic region (amino acids 61-95). The carboxy-terminal region (amino acids 96-140) is negatively charged. These antibodies are powerful tools for biochemical and IHC analyses of neurodegenerative diseases and for evaluation of conformational changes of Alpha-synuclein.

<b>Product type</b>	Primary antibody
<b>Immunogen</b>	GVATVAEKT KC ( $\alpha$ -syn 51-60)
<b>Raised in</b>	Rabbit (New Zealand White)
<b>Source</b>	Anti-serum
<b>Purification</b>	-
<b>Form</b>	Liquid. Anti-serum
<b>Concentration</b>	-
<b>Volume</b>	50 $\mu$ L
<b>Label</b>	Unlabeled
<b>Specificity</b>	$\alpha$ -Syn
<b>Cross reactivity</b>	Human, Mouse
<b>Storage</b>	Store below -20°C. (below -70°C for prolonged storage). Aliquot to avoid cycles of freeze/thaw.

<b>Application notes</b>	• ELISA : 1/500–1/2000
<b>Recommended dilutions</b>	• Western Blot : 1/500–1/1000 • Immunohistochemistry : 1/500–1/2000

Other applications have not been tested. Optimal dilutions/ concentrations should be determined by the end user.

<b>References</b>	1) Masami Masuda, et al. Inhibition of $\alpha$ -synuclein fibril assembly by small molecules: Analysis using epitope-specific antibodies. FEBS Letters (2009) 583, 787-791. PMID 19183551
-------------------	--



COSMO BIO CO., LTD.

Inspiration for Life Science

TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN

URL: <http://www.cosmobio.co.jp>

e-mail: [export@cosmobio.co.jp](mailto:export@cosmobio.co.jp)

[Outside Japan] Phone : +81-3-5632-9617

[国内連絡先] Phone : +81-3-5632-9610

FAX : +81-3-5632-9618

FAX : +81-3-5632-9619

[www.cosmobio.co.jp](http://www.cosmobio.co.jp)

**RELATED PRODUCTS:**

Product Name	Quantity	Maker	Cat#
Anti $\alpha$ -Synuclein (1-10)	50 $\mu$ L	CAC	TIP-SN-P01
Anti $\alpha$ -Synuclein (11-20)	50 $\mu$ L	CAC	TIP-SN-P02
Anti $\alpha$ -Synuclein (21-30)	50 $\mu$ L	CAC	TIP-SN-P03
Anti $\alpha$ -Synuclein (31-40)	50 $\mu$ L	CAC	TIP-SN-P04
Anti $\alpha$ -Synuclein (41-50)	50 $\mu$ L	CAC	TIP-SN-P05
Anti $\alpha$ -Synuclein (61-70)	50 $\mu$ L	CAC	TIP-SN-P07
Anti $\alpha$ -Synuclein (75-91)	50 $\mu$ L	CAC	TIP-SN-P08
Anti $\alpha$ -Synuclein (131-140)	50 $\mu$ L	CAC	TIP-SN-P09
Anti $\alpha$ -Synuclein (9 Antibodies Set)	9*10 $\mu$ L	CAC	TIP-SN-SET

For research use only, Not for diagnostic use.



**COSMO BIO Co., LTD.**

Inspiration for Life Science

TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN

URL: <http://www.cosmobio.co.jp>

e-mail: [export@cosmobio.co.jp](mailto:export@cosmobio.co.jp)

[Outside Japan] Phone : +81-3-5632-9617

[国内連絡先] Phone : +81-3-5632-9610

FAX : +81-3-5632-9618

FAX : +81-3-5632-9619