

KAL-KO456

For research use only

Anti Mouse Trpc3 Polyclonal Antibody

This antibody was prepared by Dr. Yasuo Mori, Kyoto University.

Code No.	KAL-KO456			
Terget	Trpc3			
Category	TRP channel			
Gene ID	22065			
Primary Source	MGI:109526			
Synonyms	Mwk; Trp3; Trcp3; Trrp3; MGC124333; Trpc3			
Туре	Polyclonal Antibody			
Immunogen	Partial peptide of Mouse Trpc3 C-terminal			
Raised in	Rabbit			
	Nabbit			
Myeloma	-			
Clone number	-			
Purification	Antigen Affinity			
Source	Rabbit Serum			
lsotype	-			
Cross Reactivity	-			
Label	Unlabeled			
Concentration	0.25 mg/mL			
Contents (Volume)	25 μg (100 μL/vial)			
Buffer	PBS [containing 2% Block Ace as a stabilizer, 0.1% Proclin as			
	a bacteriostat]			
Storage	Store below -2	20 °C . Once the	awed, store at	4 °C. Repeated
-	freeze-thaw cycles should be avoided.			
Application	ELISA,WB			
	ELISA	WB	IHC	ICC
	1.0	1.0-5.0	Not tested	Not tested
	IP	FCM	IF	Neutralization

Not tested

Reference

1. Mori Y, et al. Differential distribution of TRP Ca2+ channel isoforms in mouse brain. Neuroreport. 1998 Feb 16;9(3):507-15.

Not tested

Not tested (µg/mL)

UniPlot Summary

//Function: Thought to form a receptor-activated non-selective calcium permeant cation channel. Probably is operated by a phosphatidylinositol second messenger system activated by receptor tyrosine kinases or G-protein coupled receptors. Activated by diacylglycerol (DAG) in a membrane-delimited fashion, independently of protein kinase C, and by inositol-1,4,5-triphosphate receptors (ITPR) with bound IP3. May also be activated by internal calcium store depletion.

//Tissue specificity: Abundantly expressed in brain. Concentrated in cerebellar Purkinje cells and sparsely localized in cerebellar granule lyer, pontine nuclei and thalamus. Lower levels detected in other tissues.

//Sequence similarities: Belongs to the transient receptor family. STrpC subfamily. Contains 5 ANK repeats.

Not tested

