

POLYCLONAL ANTIBODY

For research use only. Not for clinical diagnosis.

Catalog No. LSL-LB-1196

Anti Type I Collagen

Product type Primary antibodies

HostRabbitSourceSerumFormLiquid

This product does not contain preservatives such as NaN3.

Volume 100μl

Concentration

Specificity Does not cross react with bovine type II, III, IV, V, VI collagen.

Antigen porcine tendon (acid extract)

Isotype

Application notes ELISA, WB, IHC, IF

Recommended use

According to the ELISA assay, results are positive for dilutions up to 200,000 fold.

Immunohistochemistry on Frozen or Paraffin section

Recommended dilutions

Immunofluoresence; More than 1/500 (recommended: 1/300~1/2,000)

Optimal dilutions/concentrations should be determined by the end user.

Staining Pattern

Cross reactivity Cross react with pig, dog, bovine and human.

Cross react with nontriple herical domains of type I collagen.

Cross reaction will differ between species.

Storage Store below -20°C (below -70°C for prolonged storage).

After thawing, store in small aliquots in sealable vials and store below -70°C. To prevent degradation from repeated thawing, store the antiserum between 0 to 4°C after second

thawing.

Stable for three years at -70°C

References

For research use only. Not for clinical diagnosis.



Cosmo Bio Co., Ltd.

Inspiration for Life Science

TOYO 2CHOME, KOTO-KU, TOKYO, 135-0016, JAPAN

URL: http://www.cosmobio.co.jp e-mail: export@cosmobio.co.jp

[Outside Japan] Phone: +81-3-5632-9617 [国内連絡先] Phone: +81-3-5632-9610 FAX: +81-3-5632-9618 FAX: +81-3-5632-9619

Anti (porcine) Type I Collagen

I. 内容

1 ot No. 8 1 2 1 1 1

免	疫	動	物	ウサギ
性状・包装サイス				全血清・100μℓ
カ			価	ELISA で200,000 倍希釈まで陽性
抗	原	由	来	ブタ・腱 (酸抽出)
種	間	交	差	<u>ブタ</u> ・イヌ・ウシ・ヒトと交差。*
特			徴	bov. type II・III・IV・V・VI collagen と非交差 type I collagen の nontriple herical domains (テロペプチド)とも反応
標準希釈率				蛍光抗体法で1:500以上 (1/300 ~1/2,000)

- *ラット、マウスとの交差性は低い。種によって交差性が異なります、希 釈率を検討下さい。
- ()内は推薦希釈率

Ⅱ. 保存上の注意

-20℃以下(長期間の場合は-70℃以下)で凍結して下さい。解凍後は密栓のできる小型容器に研究の規模に応じて少量づつ分注し、-70℃以下で保存して下さい。

凍結融解の繰り返しによる力価の低下を避ける為、再解凍後の抗血清 は0~4℃に保ち操作・保存して下さい。

Ⅲ. 安定性

-70℃で3年間安定。

但し、NaNa等の防腐剤は入っていません。

製造元

総発売元

S 株式会社 エル・エス・エル

コスモ・バイオ株式会社