

Perseus Proteomics Inc.

4-7-6, Komaba, Meguro-ku, Tokyo 153-0041

TEL: +81-3-5738-1705 FAX: +81-3-3481-5760 https://www.ppmx.com info@ppmx.com

Anti human SF-1 mouse monoclonal antibody (ProteinA purified)

SF-1: Steroidogenic factor 1

Code No	PP-N1665-0C
Clone No.	N1665
Lot.	B-1
Concentration	1 mg/mL
Volume	100 uL
lg Class	G1

Description

Nomenclature NR5A1

Genbank

Origin

U76388


SF-1 (AD4BP, FTZF1,NR5A1) is still considered as an orphan nuclear receptor belongs to subfamily 5, It was found as a regulator of steroidogenic enzyme gene expression. Oxysterols are suggested as ligands. Its expressed in all sterodogenic tissues, including adrenal cortex, testicular Sertoli cells and Leydig cells, ovarian theca, hypothalamus and anterior pituitary. SF1 plays an important role in adrenal and gonadal development, such as hypothalamic-pituitary-gonadal axis and sex determination.


Application / Recommended Concentration

In order to obtain the best results, optimal working dilutions should be determined by each individual user.

Western Blot	3 ug/mL
Non reducing Western Blot	3 ug/mL
ELISA	0.1 ug/mL (A450=1.0)
Immunoprecipitation	Decide by use
Supershift Assay	Not yet tested
Chromatin immunoprecipitatic	Not yet tested

Immunohistochemistry 10 ug/mL





Rat
Adrenal gland
paraffin section

Rat Salivary gland paraffin section

Storage

Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended.

Reference

Suh JM, *et al.* Mol Endocrinol. 2006; 20(12): 3412-20 Qin J, *et al.* Dev Dyn. 2007; 236(3): 810-20

	expressed recombinant human SF-1(218-461aa)
Specificity	This antibody specifically recognizes human SF-1 and cross reacts with mouse and rat SF-1.
Purification	Affinity chromatography with Protein A
Formulation	Physiologic saline with 0.1 % NaN3.

Produced in serum-free medium with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived

from a BALB/c mouse immunized with E.coli-

Notes

Sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large amounts of water during disposal.

FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.