



# Recombinant Mouse Interleukin-2 protein (II2) (Active)

<b>Product Code</b>	CSB-AP003281MO
Abbreviation	Recombinant Mouse II2 protein (Active)
Uniprot No.	P04351
Form	Lyophilized powder
Storage Buffer	Lyophilized from a 0.2 µm filtered PBS, pH 7.4
Product Type	Interleukin
Immunogen Species	Mus musculus (Mouse)
Biological Activity	Fully biologically active when compared to standard. The ED50 as determined by a cell proliferation assay using murine CTLL-2 cells is less than 0.2 ng/ml, corresponding to a specific activity of >5.0x10 <sup>6</sup> IU/mg.
Purity	>95% as determined by SDS-PAGE.
Sequence	APTSSSTSSS TAEAQQQQQQ QQQQQQHLEQ LLMDLQELLS RMENYRNLKL PRMLTFKFYL PKQATELKDL QCLEDELGPL RHVLDLTQSK SFQLEDAENF ISNIRVTVVK LKGSDNTFEC QFDDESATVV DFLRRWIAFC QSIISTSPQ
Research Area	Immunology
Source	E.coli
Target Names	II2
Expression Region	21-169aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag-Free
Mol. Weight	17.2 kDa
Protein Length	Full Length of Mature Protein
PubMed ID	6240025; 2578624; 3918306; 3003564; 10779485; 19468303; 1420317; 8319981; 8262055

**Image** 




## **CUSABIO TECHNOLOGY LLC**



🕜 Tel: +1-301-363-4651 💢 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🌘







## **Endotoxin**

Less than 1.0 EU/µg as determined by LAL method.

#### Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

#### Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.