




Recombinant Human Cell cycle checkpoint protein RAD1 (RAD1)

Product Code	CSB-EP019252HU
Relevance	Component of the 9-1-1 cell-cycle checkpoint response complex that plays a major role in DNA repair. The 9-1-1 complex is recruited to DNA lesion upon damage by the RAD17-replication factor C (RFC) clamp loader complex. Acts then as a sliding clamp platform on DNA for several proteins involved in long-patch base excision repair (LP-BER). The 9-1-1 complex stimulates DNA polymerase beta (POLB) activity by increasing its affinity for the 3'-OH end of the primer-template and stabilizes POLB to those sites where LP-BER proceeds; endonuclease FEN1 cleavage activity on substrates with double, nick, or gap flaps of distinct sequences and lengths; and DNA ligase I (LIG1) on long-patch base excision repair substrates. The 9-1-1 complex is necessary for the recruitment of RHNO1 to sites of double-stranded breaks (DSB) occurring during the S phase. Isoform 1 possesses 3'->5' double stranded DNA exonuclease activity.
Abbreviation	Recombinant Human RAD1 protein
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	O60671
Alias	DNA repair exonuclease rad1 homolog Rad1-like DNA damage checkpoint protein
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	Greater than 90% as determined by SDS-PAGE.
Sequence	MPLL TQQIQDEDDQYSLVASLDNVRNLSTILKAIHFREHATCFATKNGIKVTVEN AKCVQANAFIQAGIFQEFKVQEE SVTFRINLTVLLDCLSI FGSSPMPGTLTALRM CYQGYGYPLMLFLEEGGVTVCKINTQEPEETLDFDFCSTNVINKIILQSEGLR EAFSELDMTSEVLQITMSPDKPYFRLSTFGNAGSSHL DYPKDSDLMEAFHCNQ TQVNRYKISLLKPSTKALVLSCKVSI RTDNRGFLSLQYMIRNEDGQICFVEYYC CPDEEVPESES
Research Area	Epigenetics and Nuclear Signaling
Source	E.coli
Target Names	RAD1
Protein Names	Recommended name: Cell cycle checkpoint protein RAD1 Short name= hRAD1 EC= 3.1.11.2 Alternative name(s): DNA repair exonuclease rad1 homolog Rad1-like DNA damage checkpoint protein



Expression Region	1-282aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal GST-tagged
Mol. Weight	58.8kDa
Protein Length	Full Length

Image


(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
Shelf Life	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.