





## Recombinant Mouse Transcriptional repressor CTCFL (Ctcfl)


Product Code         CSB-YP006139MO           Relevance         Testis-specific DNA binding protein responsible for insulator function, nuclear architecture and transcriptional control, which probably acts by recruiting epigenetic chromatin modifiers. Plays a key role in gene imprinting in male germline, by participating in the establishment of differential methylation at the IGF2/H19 imprinted control region (ICR). Directly binds the unmethylated H19 (ICR and recruits the PRMT7 methyltransferase, leading to methylate histone H4 'Arg-3' to form H4R3sme2. This probably leads to recruit de novo DNA methyltransferases at these sites. Seems to act as tumor suppressor. In association with DNMT1 and DNMT38, involved in activation of BAG1 gene expression by binding to its promoter. Required for dimethylation of H3 lysine 4 (H3K4me2) of MYC and BRCA1 promoters.           Abbreviation         Recombinant Mouse Ctcfl protein           Storage         The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.           Uniprot No.         A2APF3           Alias         Brother of the regulator of imprinted sites CCCTC-binding factor CTCF paralog CTCF-like protein           Product Type         Recombinant Protein           Immunogen Species         Mus musculus (Mouse)           Purity         Greater than 90% as determined by SDS-PAGE.           Sequence         MAAAEVPVPSGYFTQIKEQKLKPGDLEEKKEDGVQKVEVAGEGVVKEVEAEN SCLLLEARAPVESDRSPTLTLOTVHLESQDVHLQGLGWLSVPHSEELSGTVPEF SCL		
architecture and transcriptional control, which probably acts by recruiting epigenetic chromatin modifiers. Plays a key role in gene imprinting in male germline, by participating in the establishment of differential methylation at the IGF2/H19 imprinted control region (ICR). Directly binds the unmethylate histone H4 lCR and recruits the PRMT7 methyltransferase, leading to methylate histone H4 lArg-3¹ to form H4R3sme2. This probably leads to recruit de novo DNA methyltransferases at these sites. Seems to act as tumor suppressor. In association with DNMT1 and DNMT3B, involved in activation of BAG1 gene expression by binding to its promoter. Required for dimethylation of H3 lysine 4 (H3K4me2) of MYC and BRCA1 promoters.  Abbreviation Recombinant Mouse Ctcfl protein  Storage The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.  Uniprot No. A2APF3  Alias Brother of the regulator of imprinted sites CCCTC-binding factor CTCF paralog CTCF-like protein  Mus musculus (Mouse)  Purity Greater than 90% as determined by SDS-PAGE.  Sequence MAAAEVPVPSGYFTQIKEQKLKPGDLEEEKEEDGVQRVEAQEGVVKEVEAEN SCLLLEARAPVESDRRILTLOTV+ILESQDV+ILQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKODE NVLTSHELSLEEQQDPPAANOTSVPGAKAAPKRRRQTKGKPGSGCDTOPFT SSKLSTFNRHIKIHSNEEPHACHSLCKAFTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASMMKRHIRSHTGERPPQ CCQCAYASRDSYKLKRHMRTHSGEREPYECPTCHVFTGSGTMKIHAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMMHTGEKPFSCLACNKHFRQKQ LLTVHLRYHDPNFVPNLHLCLKCDKRSRWSNLQRHRKKCDFHETLAPNK DRRPVTRTQ	Product Code	CSB-YP006139MO
Storage  The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.  Uniprot No.  A2APF3  Alias  Brother of the regulator of imprinted sites CCCTC-binding factor CTCF paralog CTCF-like protein  Product Type  Recombinant Protein  Immunogen Species  Mus musculus (Mouse)  Purity  Greater than 90% as determined by SDS-PAGE.  Sequence  MAAAEVPVPSGYFTQIKEQKLKPGDLEEEKEEDGVQRVEAQEGVVKEVEAEN SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF NMMDK  Research Area  Others	Relevance	architecture and transcriptional control, which probably acts by recruiting epigenetic chromatin modifiers. Plays a key role in gene imprinting in male germline, by participating in the establishment of differential methylation at the IGF2/H19 imprinted control region (ICR). Directly binds the unmethylated H19 ICR and recruits the PRMT7 methyltransferase, leading to methylate histone H4 'Arg-3' to form H4R3sme2. This probably leads to recruit de novo DNA methyltransferases at these sites. Seems to act as tumor suppressor. In association with DNMT1 and DNMT3B, involved in activation of BAG1 gene expression by binding to its promoter. Required for dimethylation of H3 lysine 4
storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.    Value	Abbreviation	Recombinant Mouse Ctcfl protein
Alias  Brother of the regulator of imprinted sites CCCTC-binding factor CTCF paralog CTCF-like protein  Product Type  Recombinant Protein  Immunogen Species  Mus musculus (Mouse)  Purity  Greater than 90% as determined by SDS-PAGE.  Sequence  MAAAEVPVPSGYFTQIKEQKLKPGDLEEEKEEDGVQRVEAQEGVVKEVEAEN SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKKEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF NMMDK  Research Area  Others	Storage	storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12
Product Type Recombinant Protein  Immunogen Species Mus musculus (Mouse)  Purity Greater than 90% as determined by SDS-PAGE.  Sequence MAAAEVPVPSGYFTQIKEQKLKPGDLEEEKEEDGVQRVEAQEGVVKEVEAEN SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF NMMDK  Research Area Others	Uniprot No.	A2APF3
Immunogen Species   Mus musculus (Mouse)	Alias	
Purity Greater than 90% as determined by SDS-PAGE.  Sequence MAAAEVPVPSGYFTQIKEQKLKPGDLEEEKEEDGVQRVEAQEGVVKEVEAEN SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF NMMDK  Research Area Others	Product Type	Recombinant Protein
Sequence  MAAAEVPVPSGYFTQIKEQKLKPGDLEEEKEEDGVQRVEAQEGVVKEVEAEN SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF NMMDK  Research Area  Others	Immunogen Species	Mus musculus (Mouse)
SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF NMMDK  Research Area  Others	Purity	Greater than 90% as determined by SDS-PAGE.
	Sequence	SCLLLEARAPVESDRRILTLQTVHLESQDVHLQGLGWLSVPHSEELSGTVPEA EGILQLPSVLWLDPEPQLSLQHCVTVSIPEELYPPEELQRIHFHLLRENVLMAE ENPELTPDLDESTALKKPEEDEKDQLPPQGETDKREERLLLLEMKPKEGKDDE IVLTISHLSLEEQQDPPAANQTSVPGAKAAKPKRRRQTKGKPQSFQCDTCPFT SSKLSTFNRHIKIHSNERPHLCHLCLKAFRTVTLLRNHVNTHTGTRPHKCRDCD MAFVTSGELVRHRRYKHTYEKPFKCSLCKYASVEASKMKRHIRSHTGERPFQ CCQCAYASRDSYKLKRHMRTHSGEKPYECPTCHVRFTQSGTMKIHIAQKHGE NVPKYECPHCATIIARKSDLRVHLRNLHSQSPEEMKCRYCPAGFHERYALIQH QRTHKNEKKFKCKQCDYACKQERCLKAHMRMHTGEKPFSCLACNKHFRQKQ LLTVHLRKYHDPNFVPNLHLCLKCDKRFSRWSNLQRHRKKCDPEHETLAPNK DRRPVTRTQASEGEAGHKEGEPQCPGEQALGHQGEAAGSQSPDHGLTCEIIF
Source Yeast	Research Area	Others
	Source	Yeast














Target Names	Ctcfl
Protein Names	Recommended name: Transcriptional repressor CTCFL Alternative name(s): Brother of the regulator of imprinted sites CCCTC-binding factor CTCF paralog CTCF-like protein
<b>Expression Region</b>	1-636aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 6xHis-tagged
Mol. Weight	75.1kDa
Protein Length	Full Length

## **Image**



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

## Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

## Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life

of lyophilized form is 12 months at -20°C/-80°C.