






Recombinant Human Coagulation factor VII (F7), partial

Product Code CSB-YP007930HU Initiates the extrinsic pathway of blood coagulation. Serine protease that circulates in the blood in a zymogen form. Factor VII is converted to factor VII by factor Xa, factor XIIa, factor IXa, or thrombin by minor proteolysis. In the presence of tissue factor and calcium ions, factor VIIa then converts factor X to factor Xa by limited proteolysis. Factor VIIa will also convert factor IX to factor
circulates in the blood in a zymogen form. Factor VII is converted to factor VIIa by factor Xa, factor XIIa, factor IXa, or thrombin by minor proteolysis. In the presence of tissue factor and calcium ions, factor VIIa then converts factor X to
IXa in the presence of tissue factor and calcium.
Abbreviation Recombinant Human F7 protein, partial
Storage The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf lift of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No. P08709
Product Type Recombinant Protein
Immunogen Species Homo sapiens (Human)
Purity Greater than 85% as determined by SDS-PAGE.
Sequence ANAFLEELRPGSLERECKEEQCSFEEAREIFKDAERTKLFWISYSDGDQCAS PCQNGGSCKDQLQSYICFCLPAFEGRNCETHKDDQLICVNENGGCEQYCSE TGTKRSCRCHEGYSLLADGVSCTPTVEYPCGKIPILEKRNASKPQGR
Research Area Cardiovascular
Source Yeast
Target Names F7
Target Names F7 Protein Names Proconvertin Serum prothrombin conversion accelerator
Protein Names Proconvertin Serum prothrombin conversion accelerator
Protein Names Proconvertin Serum prothrombin conversion accelerator Expression Region 61-212aa Notes Repeated freezing and thawing is not recommended. Store working aliquots as
Protein Names Proconvertin Serum prothrombin conversion accelerator Expression Region 61-212aa Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Protein Names Proconvertin Serum prothrombin conversion accelerator Expression Region 61-212aa Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week. Tag Info N-terminal 6xHis-tagged




CUSABIO TECHNOLOGY LLC









(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.