




# Recombinant Human Fibroblast growth factor receptor 3 (FGFR3 IIIc), partial

<b>Product Code</b>	CSB-YP008646HU
<b>Relevance</b>	<p>Tyrosine-protein kinase that acts as cell-surface receptor for fibroblast growth factors and plays an essential role in the regulation of cell proliferation, differentiation and apoptosis. Plays an essential role in the regulation of chondrocyte differentiation, proliferation and apoptosis, and is required for normal skeleton development. Regulates both osteogenesis and postnatal bone mineralization by osteoblasts. Promotes apoptosis in chondrocytes, but can also promote cancer cell proliferation. Required for normal development of the inner ear. Phosphorylates PLCG1, CBL and FRS2. Ligand binding leads to the activation of several signaling cascades. Activation of PLCG1 leads to the production of the cellular signaling molecules diacylglycerol and inositol 1,4,5-trisphosphate. Phosphorylation of FRS2 triggers recruitment of GRB2, GAB1, PIK3R1 and SOS1, and mediates activation of RAS, MAPK1/ERK2, MAPK3/ERK1 and the MAP kinase signaling pathway, as well as of the AKT1 signaling pathway. Plays a role in the regulation of vitamin D metabolism. Mutations that lead to constitutive kinase activation or impair normal FGFR3 maturation, internalization and degradation lead to aberrant signaling. Over-expressed or constitutively activated FGFR3 promotes activation of PTPN11/SHP2, STAT1, STAT5A and STAT5B. Secreted isoform 3 retains its capacity to bind FGF1 and FGF2 and hence may interfere with FGF signaling</p>
<b>Abbreviation</b>	Recombinant Human FGFR3 protein, partial
<b>Storage</b>	<p>The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.</p>
<b>Uniprot No.</b>	P22607-1
<b>Product Type</b>	Recombinant Proteins
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	Greater than 90% as determined by SDS-PAGE.
<b>Sequence</b>	<p>ESLGTEQRVVGRAAEVPGPPEGQQEQLVFGSGDAVELSCPPPGGGPMPGPTV  WVKDGTGLVPSERVLVGPQRLQVLNASHEDSGAYSCRQRLTQRVLCHFQSVR  VTDAPSSGDDDEDEDAEDTGVDTGAPYWTRPERMDKKLLAVPAANTVRFR  CPAAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQWSLVMSVVPSPDRGNVT  CVVENKFGSIRQTYTLVDLERSPHRPILQAGLPANQTAVLGSDVEFHCKVYSD  AQPHIQWLKHVEVNGSKVGPDPGTPYVTVLKTAGANTTDKELEVLSLHNVTFED  AGEYTCLAGNSIGFSHHSALVVLPAEEELVEADEAGSVYAG</p>
<b>Research Area</b>	Apoptosis
<b>Source</b>	Yeast
<b>Target Names</b>	FGFR3




<b>Protein Names</b>	Recommended name: Fibroblast growth factor receptor 3 Short name= FGFR-3 EC= 2.7.10.1Alternative name(s): CD_antigen= CD333
<b>Expression Region</b>	23-375aa
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	N-terminal 6xHis-tagged
<b>Mol. Weight</b>	40.1kDa
<b>Protein Length</b>	Extracellular Domain


## Image



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.



Based on the SEQUEST from database of Yeast host and target protein, the LC-MS/MS Analysis result of CSB-YP008646HU could indicate that this peptide derived from Yeast-expressed Homo sapiens (Human) FGFR3.



Based on the SEQUEST from database of Yeast host and target protein, the LC-MS/MS Analysis result of CSB-YP008646HU could indicate that this peptide derived from Yeast-expressed Homo sapiens (Human) FGFR3.

## Description

Discover the potential of our Recombinant Human FGFR3 protein in apoptosis-related research, enabling the exploration of its role in cell survival, differentiation, and proliferation. Fibroblast growth factor receptor 3, also known as CD333, is a receptor tyrosine kinase involved in multiple cellular processes and is implicated in various pathological conditions.

This Recombinant Human FGFR3 protein is generated in a yeast expression system and comprises the extracellular domain (23-375aa), offering optimal functionality and biological activity. An N-terminal 6xHis-tag is included for efficient purification and identification during your experiments. The protein is verified to have a purity of greater than 90% as determined by SDS-PAGE, providing a reliable and high-quality product for your research requirements. Available in liquid or lyophilized powder form, you can select the most suitable format to meet your laboratory needs.



## **Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.