





## Recombinant Human Plasminogen activator inhibitor 2 (SERPINB2)

| <b>Product Code</b> | CSB-YP021070HU   |
|---------------------|--|
| Relevance           | Inhibits urokinase-type plasminogen activator. The monocyte derived PAI-2 is distinct from the endothelial cell-derived PAI-1.   |
| Abbreviation        | Recombinant Human SERPINB2 protein   |
| Storage             | The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.  |
| Uniprot No.         | P05120   |
| Product Type        | Recombinant Protein  |
| Immunogen Species   | Homo sapiens (Human)   |
| Purity              | Greater than 85% as determined by SDS-PAGE.  |
| Sequence            | MEDLCVANTLFALNLFKHLAKASPTQNLFLSPWSISSTMAMVYMGSRGSTED QMAKVLQFNEVGANAVTPMTPENFTSCGFMQQIQKGSYPDAILQAQAADKIH SSFRSLSSAINASTGNYLLESVNKLFGEKSASFREEYIRLCQKYYSSEPQAVDF LECAEEARKKINSWVKTQTKGKIPNLLPEGSVDGDTRMVLVNAVYFKGKWKTP FEKKLNGLYPFRVNSAQRTPVQMMYLREKLNIGYIEDLKAQILELPYAGDVSMF LLLPDEIADVSTGLELLESEITYDKLNKWTSKDKMAEDEVEVYIPQFKLEEHYEL RSILRSMGMEDAFNKGRANFSGMSERNDLFLSEVFHQAMVDVNEEGTEAAA GTGGVMTGRTGHGGPQFVADHPFLFLIMHKITNCILFFGRFSSP |
| Research Area       | Others   |
| Source              | Yeast  |
| Target Names        | SERPINB2   |
| Protein Names       | Monocyte Arg-serpin (Placental plasminogen activator inhibitor) (Serpin B2) (Urokinase inhibitor PAI2) (PLANH2)  |
| Expression Region   | 1-415aa  |
| Notes               | Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.  |
| Tag Info            | N-terminal 6xHis-tagged  |
| Mol. Weight         | 48.6 kDa   |
| Protein Length      | Full length  |
| Image               |  |




## **CUSABIO TECHNOLOGY LLC**

Tel: +1-301-363-4651 

☐ Email: cusabio@cusabio.com ☐ Website: www.cusabio.com ☐







(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

## Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

## **Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.