

Anti human RXR beta mouse monoclonal antibody

RXR beta: Retinoid X Receptor beta

| Code No | PP-H7341-00 | Application / Recommended Concentration In order to obtain the best results, optimal working dilutions should be determined by each individual user. | |
|---------------|--|--|--------------------|
| Clone No. | H7341 | Western Blot | 1 ug/mL |
| Lot. | *** | Non reducing Western Blot | 1 ug/mL |
| Concentration | 1 mg/mL | | - ug/iii |
| Volume | 100 uL | ELISA | 1 ug/mL (A450=1.0) |
| Ig Class | G2a | Immunoprecipitation | Decide by use |
| Description | Retinoid X receptor beta (RXRb; NR2B2) is a member of orphan nuclear receptor. 9-cis retinoic acid can bind to RXR. RXRb is expressed widespread in most tissues | Supershift Assay | Not yet tested |
| | of the embryo, including the central nerves system. Along with other members of the RXR family, RXRb plays roles in a variety of processes including embryonic patterning and organogenesis, cell proliferation and differentiation. RXRs commonly function as heterodimers with other members of the nuclear receptor superfamily. | Chromatin immunoprecipitation | Not yet tested |
| | | Immunohistochemistry | Not yet tested |

| Nomenclature | NR2B2 | | | |
|--------------|--|-----------|---|--|
| Genbank | M84820 | | | |
| Origin | Produced in BALB/c mouse ascites after inoculation with hybridoma of mouse myeloma cells (NS-1) and spleen cells derived from a BALB/c mouse immunized with Baculovirus-expressed recombinant human RXR beta (9-187 aa). | Storage | Store at 2 - 8 °C up to one month. For long-term storage, the solution may be frozen in working aliquots. Repeated freezing and thawing is not recommended. Storage in a frost-free freezer is not recommended. | |
| Specificity | This antibody specifically recognizes human RXR beta and cross reacts with rat RXR beta. This antibody does not recognize human RXR alpha and gamma. Not yet tested in other species. | Reference | Nakamura T, et al., Nat Genet., 36(5): 528-33, 2004. | |
| Purification | Ammonium sulfate fractionation | | | |
| | | Notes | Sodium azide may react with lead and copper plumbing | |
| Formulation | Physiological saline with 0.1% NaN3 as a preservative. | | to form explosive metal azides. Flush with large amounts of water during disposal. | |

FOR RESEARCH ONLY. NOT FOR USE IN HUMANS.

Not for Diagnostic or Therapeutic use. Purchase of this product does not include or carry any right to resell or transfer this product either as a stand-alone product or as a component of another product. Any use of this product other than the permitted use without the express written consent of Perseus Proteomics Inc. is prohibited. **MADE IN JAPAN**

Apr 17, 2008



Distributor:

2-20,Toyo, 2Chome,Tokyo 135-0016,Japan TEL: +81-3-5632-9617 FAX: +81-3-5632-9618 http://www.cosmobio.co.jp



Manufactured by **Perseus Proteomics Inc.** 4-7-6, Komaba, Meguro-ku, Tokyo 153-0041, Japan http://www.ppmx.com