Thermo T7 RNA Polymerase << TT7 >>

Code No. TRL-2

***** Lot No.

Source

Store at -20°C Storage

7.500units(201).50.000 units(252) Size

Components Thermo T7 RNA Polymerase

•10x Reaction Buffer for Thermo T7 RNA Polymerase

Concentration units/μl Thermo T7 RNA Polymerase * * *

Escherichia coli carrying the plasmid that encodes the gene of phage T7 RNA polymerase.

Unit Definition One unit of enzyme is defined as the amount of enzyme that will incorporate

1 nmole of labeled nucleotide into acid insoluble material in 1 hour at 37°C

under standard assay conditions as described below.

Assay Condition 40mM Tris-HCl(pH8.0), 50mM NaCl, 8mM MgCl $_2$, 5mM DTT, 400 μ M rNTPs,

400μM [3H]-UTP(30cpm/pmoles), 20μg/ml T7 DNA, 50μg/ml BSA,

100µl reaction volume. 37°C, 10min.

Storage buffer 20 Potassium phosphate(pH7.7) mM

> 100 mM NaCl 5 mM DTT 0.1 mM **EDTA** Triton X-100 0.01 % %(v/v)Glycerol

10x Reaction Buffer 400 mM Tris-HCl(pH8.0)

> NaCl 500 mM 80 mM MgCl₂ 50 mM DTT

Quality Control Assays This product has passed the following quality control assays:

1. SDS-polyacrylamide gel analysis for purity

Functional absence of exonuclease, endonuclease, and RNase

Performance in a transcription reaction at both 37°C and 50°C

Application Examples 10x Reaction Buffer 5μΙ

> ATP, CTP, GTP, UTP each 0.4mM RNase inhibitor 20 units Template DNA 100~1000ng Thermo T7 RNA Polymerase 25~100units

 $dH_{9}O$ / total 50µl→incubate at 37~50°C for 30~60min